

**State of Michigan
Department of Environment, Great Lakes, and Energy**

Water Resources Division
Bay City District Office
401 Ketchum Street, Suite B, Bay City, MI, 48708-5430
989-894-6200
Site Name: 32-4309 Port Austin Rd-Huron
Submission Number: HP0-WJK6-QZ84J
Date: September 4, 2020

PUBLIC NOTICE

Timothy Miller, 4313 Port Austin Road, Lake Township, MI 48725, has applied to this office for a permit under authority Part 325, Great Lakes Submerged Lands, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA). The applicant proposes to install 74 feet of cedar post seawall, 24 cubic yards of backfill, and one cubic yard of toe stone. The project is located in T18N, R11E, Section 15, Lake Township, Huron County, Michigan, in accordance with plans attached to this notice.

THIS NOTICE IS NOT A PERMIT

The proposed project may also be regulated by one or more additional parts of the NREPA that are administered by the Michigan Department of Environment, Great Lakes, and Energy (EGLE), Water Resources Division (WRD). The requirements of all applicable parts are considered in determining if a permit can be issued. When a permit application is received requesting authorization to work in or over the inland waters of the State of Michigan, pursuant to Part 325 of the NREPA, the NREPA provides that EGLE submit copies for review to the department of public health; the city, village, or township and county where the project is to be located; the local soil conservation district; and any local watershed council organized under Part 311, Local River Management, of the NREPA. Additional notification is provided to certain persons as required by statute or determined by EGLE.

Those persons wanting to make comments on the proposed project shall furnish this office with their written comments no later than 20 days from the date of this notice. Written comments will be made part of the record and should reference the above application number. Objections must be factual, specific, and fully describe the reasons upon which any objection is founded. Unless a written request is filed with EGLE within the 20-day public comment period, EGLE may make a decision on the application without a public hearing. The determination as to whether a permit will be issued or a public hearing held will be based on an evaluation of all relevant factors, including the public comments received and the effect of the proposed work on the public trust or interest, including navigation, fish, wildlife, and pollution. The specific permit decision criteria can be found in the parts of the NREPA applicable to this application and listed above. Copies of these parts of the NREPA are available on the public notice Web site. Public comments received will also be considered.

Public Notice Page 2 September 4, 2020

Submission No. HP0-WJK6-QZ84J

The entire copy of the public notice package may be viewed at the WRD's district office listed on the top of this public notice or online at:

<https://miwaters.deq.state.mi.us/miwaters/#!/external/publicnotice/search>. To access the public notice page online, search for the public notice by location or applicant name, and view by clicking on the "Documents" tab. Comments may be sent electronically by clicking on the "Add Comment" tab. A hard copy of the public notice may be requested by calling the above number.

cc:

Timothy Miller, Applicant USACE

Huron County Clerk DNR, Wildlife Division

Lake Township Clerk DNR, Fisheries Division

Huron County Drain Commissioner Local Postmaster

Huron County Health Department Mike Roehrig

Huron County Conservation District Adjoining Property Owners-2

Huron CEA WRD-GLSU Staff-1